
RESISTANCE COMPONENT (R/Zo), OR CONDUCTANCE COMPONENT (G/Yo)
INDUCTIVE REACTANCE COMPONENT (+jX/Zo) OR CAPACITIVE SUSCEPTANCE (+jB/Yo)
CAPACITIVE REACTANCE COMPONENT (-jX/Zo) OR INDUCTIVE SUSCEPTANCE (-jB/Yo)
ANGLE OF REFLECTION COEFFICIENT IN DEGREES
ANGLE OF TRANSMISSION COEFFICIENT IN DEGREES
WAVELENGTHS TOWARD GENERATOR
WAVELENGTHS TOWARD LOAD
RADIALLY SCALED PARAMETERS
TOWARD LOAD —>
<— TOWARD GENERATOR
SWR
RTN. LOSS (dB)
REFL. COEFF. P
REFL. COEFF. E or I
ATTEN. (dB)
S.W. LOSS (dB)
REF. PEAK (CONST. P)
TRANSM. COEFF. P
TRANSM. COEFF. E or I
CENTER
ORIGIN


RESISTANCE COMPONENT (R/Zo), OR CONDUCTANCE COMPONENT (G/Yo)
INDUCTIVE REACTANCE COMPONENT (+jX/Zo), OR CAPACITIVE SUSCEPTANCE (+jB/Yo)
CAPACITIVE REACTANCE COMPONENT (-jX/Zo), OR INDUCTIVE SUSCEPTANCE (-jB/Yo)
ANGLE OF REFLECTION COEFFICIENT IN DEGREES
ANGLE OF TRANSMISSION COEFFICIENT IN DEGREES
WAVELENGTHS TOWARD GENERATOR
WAVELENGTHS TOWARD LOAD
RADIALLY SCALED PARAMETERS
TOWARD LOAD —>
<— TOWARD GENERATOR
SWR
dBS
RTN. LOSS (dB)
REFL. COEFF. P
REFL. COEFF. Ecr
ALLEN (dB)
S.W. LOSS (dB)
REFL. COEFF.
S.W. PEAK (CONST. P)
TRANSM. COEFF. P
TRANSM. COEFF. Ecr
CENTER
ORIGIN




WAVELENGTHS TOWARD GENERATOR →
← WAVELENGTHS TOWARD LOAD
INDUCTIVE REACTANCE COMPONENT (+jX/Z0 OR CAPACITIVE SUSCEPTANCE (-jB/Y0)
CAPACITIVE REACTANCE COMPONENT (-jX/Z0 OR INDUCTIVE SUSCEPTANCE (+jB/Y0)
RESISTANCE COMPONENT (R/Z0) OR CONDUCTANCE COMPONENT (G/Y0)
ANGLE OF REFLECTION COEFFICIENT IN DEGREES
ANGLE OF TRANSMISSION COEFFICIENT IN DEGREES
CENTER
RADIALLY SCALED PARAMETERS
TOWARD LOAD →
← TOWARD GENERATOR
ATTEN. (dB)
S.W. LOSS (dB)
REFL. LOSS (dB)
S.W. PEAK (CONST. P)
TRANSM. COEFF. P
TRANSM. COEFF. E or I


RESISTANCE COMPONENT (R/Zo), OR CONDUCTANCE COMPONENT (G/Yo)
INDUCTIVE REACTANCE COMPONENT (+jX/Zo), OR CAPACITIVE SUSCEPTANCE (+jB/Yo)
CAPACITIVE REACTANCE COMPONENT (-jX/Zo), OR INDUCTIVE SUSCEPTANCE (-jB/Yo)
ANGLE OF TRANSMISSION COEFFICIENT IN DEGREES
WAVELENGTHS TOWARD GENERATOR
WAVELENGTHS TOWARD LOAD
RADIALLY SCALED PARAMETERS
TOWARD LOAD —>
<— TOWARD GENERATOR
CENTER
ORIGIN



| NAME | TITLE | DWG. NO. |
|---|---|---|
| SMITH® CHART FORM 82-BSPR (9-66) | ANALOG INSTRUMENTS COMPANY, NEW PROVIDENCE, N.J. 07974 | DATE |

# IMPEDANCE OR ADMITTANCE COORDINATES


RESISTANCE COMPONENT $\left(\frac{R}{Z_0}\right)$, OR CONDUCTANCE COMPONENT $\left(\frac{G}{Y_0}\right)$
INDUCTIVE REACTANCE COMPONENT $\left(\frac{+jX}{Z_0}\right)$, OR CAPACITIVE SUSCEPTANCE COMPONENT $\left(\frac{+jB}{Y_0}\right)$
CAPACITIVE REACTANCE COMPONENT $\left(\frac{-jX}{Z_0}\right)$, OR INDUCTIVE SUSCEPTANCE COMPONENT $\left(\frac{-jB}{Y_0}\right)$
ANGLE OF REFLECTION COEFFICIENT IN DEGREES
ANGLE OF TRANSMISSION COEFFICIENT IN DEGREES
WAVELENGTHS TOWARD GENERATOR
WAVELENGTHS TOWARD LOAD

RADIALLY SCALED PARAMETERS




"Smith®" is a Registered Trademark of Analog Instruments Company.

A MEGA-CHART



| NAME | TITLE | DWG. NO |
|---|---|---|
| SMITH® CHART FORM 82-BSPR(9-66) | ANALOG INSTRUMENTS COMPANY, NEW PROVIDENCE, N.J. 07974 | DATE |

# IMPEDANCE OR ADMITTANCE COORDINATES


RESISTANCE COMPONENT $\left(\frac{R}{Z_0}\right)$, OR CONDUCTANCE COMPONENT $\left(\frac{G}{Y_0}\right)$
INDUCTIVE REACTANCE COMPONENT $\left(\frac{+jX}{Z_0}\right)$, OR CAPACITIVE SUSCEPTANCE COMPONENT $\left(\frac{+jB}{Y_0}\right)$
CAPACITIVE REACTANCE COMPONENT $\left(\frac{-jX}{Z_0}\right)$, OR INDUCTIVE SUSCEPTANCE COMPONENT $\left(\frac{-jB}{Y_0}\right)$
ANGLE OF REFLECTION COEFFICIENT IN DEGREES
ANGLE OF TRANSMISSION COEFFICIENT IN DEGREES
WAVELENGTHS TOWARD GENERATOR
WAVELENGTHS TOWARD LOAD

RADIALLY SCALED PARAMETERS




"Smith®" is a Registered Trademark of Analog Instruments Company.

A MEGA-CHART

| NAME | TITLE | DWG. NO |
|---|---|---|
| SMITH® CHART FORM 82-BSPR (9-66) | ANALOG INSTRUMENTS COMPANY, NEW PROVIDENCE, N.J. 07974 | DATE |

# IMPEDANCE OR ADMITTANCE COORDINATES


RESISTANCE COMPONENT $\left(\frac{R}{Z_0}\right)$, OR CONDUCTANCE COMPONENT $\left(\frac{G}{Y_0}\right)$
INDUCTIVE REACTANCE COMPONENT $\left(\frac{+jX}{Z_0}\right)$, OR CAPACITIVE SUSCEPTANCE COMPONENT $\left(\frac{+jB}{Y_0}\right)$
CAPACITIVE REACTANCE COMPONENT $\left(\frac{-jX}{Z_0}\right)$, OR INDUCTIVE SUSCEPTANCE COMPONENT $\left(\frac{-jB}{Y_0}\right)$
WAVELENGTHS TOWARD GENERATOR
WAVELENGTHS TOWARD LOAD
ANGLE OF REFLECTION COEFFICIENT IN DEGREES
ANGLE OF TRANSMISSION COEFFICIENT IN DEGREES

## RADIALLY SCALED PARAMETERS




"Smith®" is a Registered Trademark of Analog Instruments Company.

A MEGA-CHART

| NAME | TITLE | DWG. NO. |
|---|---|---|
| SMITH® CHART FORM 82-BSPR (9-66) | ANALOG INSTRUMENTS COMPANY, NEW PROVIDENCE, N.J. 07974 | DATE |

# IMPEDANCE OR ADMITTANCE COORDINATES


RESISTANCE COMPONENT (R/Z0), OR CONDUCTANCE COMPONENT (G/Y0)
INDUCTIVE REACTANCE COMPONENT (+jX/Z0), OR CAPACITIVE SUSCEPTANCE COMPONENT (+jB/Y0)
CAPACITIVE REACTANCE COMPONENT (-jX/Z0), OR INDUCTIVE SUSCEPTANCE COMPONENT (-jB/Y0)
WAVELENGTHS TOWARD GENERATOR
WAVELENGTHS TOWARD LOAD
ANGLE OF REFLECTION COEFFICIENT IN DEGREES
ANGLE OF TRANSMISSION COEFFICIENT IN DEGREES

RADIALLY SCALED PARAMETERS




"Smith®" is a Registered Trademark of Analog Instruments Company.

A MEGA-CHART

| NAME | TITLE | DWG. NO. |
|---|---|---|
| SMITH® CHART FORM 82-BSPR (9-66) | ANALOG INSTRUMENTS COMPANY, NEW PROVIDENCE, N.J. 07974 | DATE |

# IMPEDANCE OR ADMITTANCE COORDINATES


RESISTANCE COMPONENT $\left(\frac{R}{Z_0}\right)$, OR CONDUCTANCE COMPONENT $\left(\frac{G}{Y_0}\right)$
INDUCTIVE REACTANCE COMPONENT $\left(\frac{+jX}{Z_0}\right)$, OR CAPACITIVE SUSCEPTANCE COMPONENT $\left(\frac{+jB}{Y_0}\right)$
CAPACITIVE REACTANCE COMPONENT $\left(\frac{-jX}{Z_0}\right)$, OR INDUCTIVE SUSCEPTANCE COMPONENT $\left(\frac{-jB}{Y_0}\right)$
WAVELENGTHS TOWARD GENERATOR
WAVELENGTHS TOWARD LOAD
ANGLE OF REFLECTION COEFFICIENT IN DEGREES
ANGLE OF TRANSMISSION COEFFICIENT IN DEGREES




"Smith®" is a Registered Trademark of Analog Instruments Company.

A MEGA CHART

| NAME | TITLE | DWG. NO |
|---|---|---|
| SMITH® CHART FORM 82-BSPR (9-66) | ANALOG INSTRUMENTS COMPANY, NEW PROVIDENCE, N.J. 07974 | DATE |

# IMPEDANCE OR ADMITTANCE COORDINATES


RESISTANCE COMPONENT $\left(\frac{R}{Z_0}\right)$, OR CONDUCTANCE COMPONENT $\left(\frac{G}{Y_0}\right)$
INDUCTIVE REACTANCE COMPONENT $\left(\frac{+jX}{Z_0}\right)$, OR CAPACITIVE SUSCEPTANCE COMPONENT $\left(\frac{+jB}{Y_0}\right)$
CAPACITIVE REACTANCE COMPONENT $\left(\frac{-jX}{Z_0}\right)$, OR INDUCTIVE SUSCEPTANCE COMPONENT $\left(\frac{-jB}{Y_0}\right)$
WAVELENGTHS TOWARD GENERATOR
WAVELENGTHS TOWARD LOAD
ANGLE OF REFLECTION COEFFICIENT IN DEGREES
ANGLE OF TRANSMISSION COEFFICIENT IN DEGREES

RADIALLY SCALED PARAMETERS




"Smith®" is a Registered Trademark of Analog Instruments Company.

A MEGA-CHART

| NAME | TITLE | DWG. NO |
|---|---|---|
| SMITH® CHART FORM 82-BSPR (9-66) | ANALOG INSTRUMENTS COMPANY, NEW PROVIDENCE, N.J. 07974 | DATE |

# IMPEDANCE OR ADMITTANCE COORDINATES




"Smith®" is a Registered Trademark of Analog Instruments Company.

A MEGA-CHART

| NAME | TITLE | DWG. NO. |
|---|---|---|
| SMITH® CHART FORM 82-BSPR (9-66) | ANALOG INSTRUMENTS COMPANY, NEW PROVIDENCE, N.J. 07974 | DATE |

# IMPEDANCE OR ADMITTANCE COORDINATES


WAVELENGTHS TOWARD GENERATOR
WAVELENGTHS TOWARD LOAD
INDUCTIVE REACTANCE COMPONENT $\left(\frac{+jX}{Z_0}\right)$, OR CAPACITIVE SUSCEPTANCE COMPONENT $\left(\frac{+jB}{Y_0}\right)$
RESISTANCE COMPONENT $\left(\frac{R}{Z_0}\right)$, OR CONDUCTANCE COMPONENT $\left(\frac{G}{Y_0}\right)$
CAPACITIVE REACTANCE COMPONENT $\left(\frac{-jX}{Z_0}\right)$, OR INDUCTIVE SUSCEPTANCE COMPONENT $\left(\frac{-jB}{Y_0}\right)$
ANGLE OF REFLECTION COEFFICIENT IN DEGREES
ANGLE OF TRANSMISSION COEFFICIENT IN DEGREES

RADIALLY SCALED PARAMETERS




"Smith®" is a Registered Trademark of Analog Instruments Company.

A MEGA-CHART

| NAME | TITLE | DWG. NO |
|---|---|---|
| SMITH® CHART FORM 82-BSPR (9-66) | ANALOG INSTRUMENTS COMPANY, NEW PROVIDENCE, N.J. 07974 | DATE |

# IMPEDANCE OR ADMITTANCE COORDINATES


WAVELENGTHS TOWARD GENERATOR
WAVELENGTHS TOWARD LOAD
INDUCTIVE REACTANCE COMPONENT (+jX/Zo), OR CAPACITIVE SUSCEPTANCE COMPONENT (+jB/Yo)
RESISTANCE COMPONENT (R/Zo), OR CONDUCTANCE COMPONENT (G/Yo)
CAPACITIVE REACTANCE COMPONENT (-jX/Zo), OR INDUCTIVE SUSCEPTANCE COMPONENT (-jB/Yo)
ANGLE OF REFLECTION COEFFICIENT IN DEGREES
ANGLE OF TRANSMISSION COEFFICIENT IN DEGREES
RADIALLY SCALED PARAMETERS
TOWARD LOAD
TOWARD GENERATOR
SWR
RETN LOSS dB
REFL COEFF P
REFL COEFF E OR I
ATTEN. dB MAJ. DIV.
S.W. LOSS COEFF.
S.W. LOSS dB
S.W. PEAK CONST. P
TRANSM COEFF E OR I
ORIGIN
CENTER
2 TRANSM COEFF P

"Smith®" is a Registered Trademark of Analog Instruments Company.

A MEGA-CHART

| NAME | TITLE | DWG. NO. |
|---|---|---|
| SMITH® CHART FORM 82-BSPR (9-66) | ANALOG INSTRUMENTS COMPANY, NEW PROVIDENCE, N.J. 07974 | DATE |

# IMPEDANCE OR ADMITTANCE COORDINATES


RESISTANCE COMPONENT $\left(\frac{R}{Z_0}\right)$, OR CONDUCTANCE COMPONENT $\left(\frac{G}{Y_0}\right)$
INDUCTIVE REACTANCE COMPONENT $\left(\frac{+jX}{Z_0}\right)$, OR CAPACITIVE SUSCEPTANCE COMPONENT $\left(\frac{+jB}{Y_0}\right)$
CAPACITIVE REACTANCE COMPONENT $\left(\frac{-jX}{Z_0}\right)$, OR INDUCTIVE SUSCEPTANCE COMPONENT $\left(\frac{-jB}{Y_0}\right)$
WAVELENGTHS TOWARD GENERATOR
WAVELENGTHS TOWARD LOAD
ANGLE OF REFLECTION COEFFICIENT IN DEGREES
ANGLE OF TRANSMISSION COEFFICIENT IN DEGREES

RADIALLY SCALED PARAMETERS




"Smith®" is a Registered Trademark of Analog Instruments Company.

A MEGA-CHART

| NAME | TITLE | DWG. NO. |
|---|---|---|
| SMITH® CHART FORM 82-82PR (8-65) | ANALOG INSTRUMENTS COMPANY, NEW PROVIDENCE, N.J. 07974 | DATE |

IMPEDANCE OR ADMITTANCE COORDINATES



RADIALLY SCALED PARAMETERS

"Smith®" is a Registered Trademark of Analog Instruments Company

| NAME | TITLE | DWG. NO. |
|---|---|---|
| SMITH® CHART FORM 82-BSPR (9-66) | ANALOG INSTRUMENTS COMPANY, NEW PROVIDENCE, N.J. 07974 | DATE |

# IMPEDANCE OR ADMITTANCE COORDINATES


RESISTANCE COMPONENT $\left(\frac{R}{Z_0}\right)$, OR CONDUCTANCE COMPONENT $\left(\frac{G}{Y_0}\right)$
INDUCTIVE REACTANCE COMPONENT $\left(\frac{+jX}{Z_0}\right)$, OR CAPACITIVE SUSCEPTANCE COMPONENT $\left(\frac{+jB}{Y_0}\right)$
CAPACITIVE REACTANCE COMPONENT $\left(\frac{-jX}{Z_0}\right)$, OR INDUCTIVE SUSCEPTANCE COMPONENT $\left(\frac{-jB}{Y_0}\right)$
WAVELENGTHS TOWARD GENERATOR
WAVELENGTHS TOWARD LOAD
ANGLE OF REFLECTION COEFFICIENT IN DEGREES
ANGLE OF TRANSMISSION COEFFICIENT IN DEGREES

RADIALLY SCALED PARAMETERS




"Smith®" is a Registered Trademark of Analog Instruments Company.

A MEGA-CHART

| NAME | TITLE | DWG. NO. |
| --- | --- | --- |
| SMITH* CHART FORM 82-05PR (5-66) | ANALOG INSTRUMENTS COMPANY, NEW PROVIDENCE, N.J. 07974 | DATE |

IMPEDANCE OR ADMITTANCE COORDINATES



"Smith" is a Registered Trademark of Analog Instruments Company.